

Certificate of Analysis

Company: ApotheKore Diagnostics LLC	Sample ID: Sample 3 S22A2001-75%_Ethanol_in_water	
PO Box 111	Lot: 00492-2021-091321A	Report Date: 2/4/2022
Wardsboro, VT 05360	Matrix: Other	Date Analyzed: 1/31/2022
Customer ID: 210914-1	Date Sampled: N/A	Analyst: SCG
Grower License #: #50_2021_00000492	Date Received: 1/21/2022	Report ID: C220121A1

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	<LOQ	<LOQ
CBDA	0.0008	2.24	0.22
CBGA	0.0008	<LOQ	<LOQ
CBG	0.0019	0.13	0.01
CBD	0.0019	6.65	0.66
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	<LOQ	<LOQ
Δ9-THC	0.0020	0.36	0.04
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	<LOQ	<LOQ
CBC	0.0024	0.42	0.04
Total THC		0.36	0.04
Total CBD		8.61	0.86
Total Cannabinoids		9.79	0.98

0.04%

Total THC

0.86%

Total CBD

0.98%

Total Cannabinoids

0.04%

Δ9-THC

N/A

Percent Moisture

1 : 24.2

THC : CBD Ratio


Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
 Total THC = (THCA x 0.877) + Δ9-THC Total CBD = (CBDA x 0.877) + CBD
 Ratio of Total CBD: Total THC Reagent Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.
 Δ9-THC MU = ±0.005% Total THC MU = ±0.007%
 All other cannabinoid MU values are available upon request.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: *Luke E. M.*
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)